

TSL-WM-DS ARMOIRE MURALE- DOUBLE SECTION

Features:

- Welded frame, reliable structure.
- Reversible 5mm toughened glass front door with lock.
- Removable side panels with side pins, side locks are optional for protection.
- Standing or wall mount installation.
- Easy and quick installation & maintenance.
- Cable entries on top cover and bottom panel.

Specifications:

- Material: SPCC cold rolled steel
- Thickness: Mounting rails: 1.5mm; others: 1.2mm
- Surface finishing: Degreasing, pickling, phosphoric, powder coated
- Static loading capacity: 60kgs

Standards:

- ANSI/EIA RS-310-D
- IEC60297-2
- DIN41494, PART1
- DIN41494, PART7
- Compatible with 19" International Standards, ETSI



Standard side panel



Frame



Installation hole of back panel



Cooling fan



1U cantilever shelf



1U cable manager




Blanking panel

ARMOIRE MURALE- DOUBLE SECTION



Structure of cabinet:



Front door options:

- 1-1 : toughened glass door, with small round lock
- 1-2 : toughened glass door with stripped hole border, with small round lock
- 1-3 : toughened glass door with net hole border, with spring lock
- 1-4 : metal plate door, with small round lock
- 1-5 : perforated door, with spring lock

Main parts:

S/N	Specification	Qty	Unit	Material	Surface finishing	Remark
1	Toughened glass front door (1-1)	1	pc	SPCC	Powder coated	Small round lock
2	Removable side panels	2	pc	SPCC	Powder coated	---
3	Frame	1	pc	SPCC	Powder coated	---
4	Cable entry cover	2	pc	SPCC	Powder coated	---
5	Back panel	1	pc	SPCC	Powder coated	---
6	Mounting rails	4	pc	SPCC	Powder coated	---
7	M6 screws and nuts	20	set	---	---	10 sets for 12U lower

Specifications:

TSL-WM9U65.DS	ARMOIRE 9U 600x550, Montée, Double corps(Pivotante).
TSL-WM12U65.DS	ARMOIRE 12U 600x550, Montée, Double corps(Pivotante).
TSL-WM15U65.DS	ARMOIRE 15U 600x550, Montée, Double corps(Pivotante).
TSL-WM9U66.DS	ARMOIRE 9U 600x600, Montée, Double corps(Pivotante).
TSL-WM12U66.DS	ARMOIRE 12U 600x600, Montée, Double corps(Pivotante).
TSL-WM16U66.DS	ARMOIRE 16U 600x600, Montée, Double corps(Pivotante).

Color options: Gray: Ral7035; Black: Ral9004; Black: Ral7021

Distributeur SARL ALIEF lot n°: 1, Gpe 13, Hamiz, Dar El Beida, Alger std : ooredoo: 0560.271.399 , mobilis: 0661.528.551

Tel fix : +213 (0) 23 858 510 /11, (0)23 865001 Fax : +213 (0) 23 858 514 web: www.alief-dz.com emails: com@alief-dz.com